



Alston & Bird LLP

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
(704) 444-1000
Fax (704) 444-1111

November 9, 2006

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: United States Patent for
System And Method Of Refrigerating At Least One Enclosure
Application No. 10/649,716; Filed August 26, 2003
Patent No. 7,089,756; Issued August 15, 2006
Our File 038190/268647

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction enclosed herewith, with an additional copy thereof and a postal card being enclosed in accordance with the present USPTO practice.

Respectfully submitted,

Trent A. Kirk
Registration No. 54,223

Certificate

NOV 20 2006

of Correction

TAK:mf
Enclosures

LEGAL02/30148959v1

NOV 21 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,089,756

Page 1 of 1

APPLICATION NO. : 10/649,716

ISSUE DATE : August 15, 2006

INVENTOR(S) : Hu

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 18.

Line 18, "wit" should read --with--;

Line 19, "beat" should read --heat--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

NOV 21 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,089,756

Page 1 of 1

APPLICATION NO. : 10/649,716

ISSUE DATE : August 15, 2006

INVENTOR(S) : Hu

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 18,

Line 18, "wit" should read --with--;

Line 19, "beat" should read --heat--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

NOV 21 2006